

# rangeMapper Package Vignette

Mihai Valcu\* and James Dale†

May 11, 2010

R version 2.10.1 (2009-12-14), rangeMapper 0.0-3.

## 1 Introduction

*rangeMapper* is a suite of tools for easy generation of biodiversity (species richness) or life-history traits maps and, in general, maps of any variable associated with a species or population. *rangeMapper* performs range maps interpolation with a pre-defined grid, then computes at each grid cell a chosen statistical model. *rangeMapper* can be easily extended with **any** statistical model (from a simple average to mixed-effect and phylogenetic models) available in one of the existing R packages. The resulting raster maps are stored in a *rangeMapper* project file (a pre-customized SQLite database) and can thus be displayed and/or manipulated at any latter stage. *rangeMapper* is built on the framework provided by the [sp], [maptools] and [rgdal] packages using [sqlite] support to store data. *rangeMapper* comes with a user-friendly platform-independent tcltk graphical user interface (GUI), (see fig. 1).

### 1.1 Main graphical window

Once the package is loaded you can open the GUI by typing: `rangeMapper()`. To quickly get started, work through all the steps from *Initiate project* to *Plot map* using the dataset and the range files which come together with the package (to find where they are located go to *Help/Example files*). Place the mouse over each button to get tool-tips, (see fig. 2). To get further help type `?rangeMapper` or `?<function name>` and the function name indicated by the tool-tip.

---

\*valcu@orn.mpg.de, <http://orn.mpg.de/mitarbeiter/valcu.html> Max Planck Institute for Ornithology, Behavioural Ecology and Evolutionary Genetics, Eberhard-Gwinner-Strasse 5, D-82319 Starnberg (Seewiesen)

†J.Dale@massey.ac.nz, <http://quelea.net> Institute of Natural Sciences, Massey University, Private Bag 102 904, North Shore Mail Centre, Auckland, New Zealand




Figure 1: *rangeMapper* graphical user interface.




Figure 2: Tool-tip example.

## 2 rangeMapper step-by-step: project set-up

### 2.1 Initiate/open project



Figure 3: Initiate project

At this step a new project is initiated by creating a new sqlite database and populating it with a few pre-formatted tables. Type `?db.ini` for more details. You can stop at any of the next steps and resume latter by opening the same project.

For the step-by-step tutorial, use the wrens dataset which is included within the package. This dataset contains the ranges and life history data on 45 species of wrens (Troglodytidae) [Ridgely (2007)]. For more information on the dataset type at the R prompter:

```
?wrens  
wrens
```

After pushing the initiate project button, choose a location to save the file, name your new project, for example 'wrens', and press 'OK'.

### 2.2 Prepare canvas




Figure 4: Prepare canvas

Once the project has been initiated the next step is to prepare the canvas. The canvas is a regular grid of a given resolution (in map units) defined for the rectangular area (i.e. the global bounding box) encompassing all the ranges.

At this step, (see fig. 4) you have to:

- Push the 'COMPUTE CANVAS EXTENT' button and then select all the range polygon files (\*.shp format) in order to define the global bounding box of the project. The global bounding box (see `?global.bbox` for more details) is computed using `getinfo.shape()` in [maptools] package hence this step is reasonably fast even for thousands of range files. The vector (\*.shp) files for the wrens ranges data are stored in the package's directory. Access the 'help/example files' menu to get the exact pathway for this directory.

- Push the 'INPUT GRID SIZE' button and then input the desired resolution (a default value is provided). For the wrens, change the provided default of 125194.3m to a round 125000 m.
- Push the 'COMPUTE CANVAS' button to upload the canvas to the project's database.

See `?canvas` and `?sp::spsample` for more details.

## 2.3 Process and upload ranges




Figure 5: Upload ranges

At this step, (see fig. 5) you can select the individual range files or a directory containing the range files. Then every range polygon is overlaid on the canvas and the result of the overlap is saved to the database.

For the wrens, push the 'PROCESS RANGES' button and select the directory with the wrens range vector files. Hit 'YES' when asked to save range centroid and range extent data to the data project file.

Note that if there are thousands of range map polygons with complex geometries to be processed and/or the canvas resolution is relatively high this step can be time consuming. For example processing all amphibians of the world [IUCN (2009)] (5816 ranges, total 252 MB) using a grid of  $0.25^\circ$  resolution takes 544 minutes on a 64-bit machine with 4 GB of RAM running Windows Vista and R 2.10.0. However, once this step has been performed and the results saved to the database, the other operations are fast.

## 2.4 Upload external 'BIO' data (e.g. life history data)

If you are only interested in species richness this step is optional. Data to be imported should be in .csv format ("," separated!). However, any `data.frame` can be imported from the command line. See `?rangeMapper` for an example and `?bio.save` for more details. During the importing of the 'BIO' table you will be prompted to choose the field, (see fig. 6) corresponding to the range file names. The 'BIO' table should thus contain a column with the file names of the range polygons (without the file extension). This column is used to link data in the 'BIO' table to the range polygons data.

For the wrens example, push the 'IMPORT BIO data' icon and select the 'wrens.csv' data file stored in the package's directory (choose 'Help/example'




Figure 6: Upload 'BIO' data

files to get the exact pathway to this file). Then select 'species\_name' as the ID to link the data with the range files. You are now ready to draw some maps!

### 3 rangeMapper step-by-step: drawing maps

#### 3.1 Choose a variable




Figure 7: Choose variable dialog

Once one or more 'BIO' tables have been imported, the next step is choosing a variable (e.g. clutch size or body mass) to map, (see fig. 7). For the wrens example, push the 'CHOOSE VARIABLE' icon and select 'clutch size'.

### 3.2 Choose or define a function




Figure 8: Choose function dialog

At this step you can choose or define a function to be applied at each canvas cell (see fig. 8). For simple functions like **richness**, **mean**, **sd**, etc. or for a custom functions the formula is of form **response** ~ 1 (see ?**lm** for more details on formula usage; and see section 3.7.2 for an example of a custom function used to calculate coefficient of variation). In the case of different models check ?**assemblage.stat** for more details. For the wrens example, push the ‘CHOOSE FUNCTION’ icon and select ‘median’.

### 3.3 Choose subsets




Figure 9: Choose subsets

At this step, (see fig.. 9), you can select the data to be included in the ‘MAP’, based on the field values of any of the existing ‘BIO’, ‘MAP’ or **metadata\_ranges** tables. The subset strings used in the ‘Choose subsets’ dialog should be valid

WHERE SQL clauses. Since this step is optional for the running wrens example, skip this step and go to on.

### 3.4 Save MAP




Figure 10: Save MAP

At this step the program computes the previously chosen statistic (richness, average, median or any user-defined function) at each canvas cell and save the results to the database as a 'MAP' table. For the wrens, push the 'SAVE MAP' button, and name the map 'median\_clutch' (see fig. 10).

### 3.5 Choose a color palette




Figure 11: Choose palette

At this step you can choose one of the available color palettes (see fig. 11). There is the option to inverse the color palette if needed. Additionally an a user




Figure 12: Display MAP

defined palette can be constructed. See `?RColorBrewer::display.brewer.all` and `?colorRamp` for details and the underlying function used. For the wrens example, push the ‘CHOOSE PALETTE’ button and select or build the palette you like.

### 3.6 Display a MAP

Once a color palette is chosen, a map of the active project can be selected and displayed on the default graphic device (see fig. 12). The number of grouping intervals and the class intervals type can be set here. For more info on class intervals see `[classInt]` package. For the wrens, push the ‘DISPLAY MAP’ button and accept the default value of 20 for the number of classes, and then select ‘equal’ as the class interval type. Your map (see fig. 13) should be ready on the default graphical device.




Figure 13: Wrens: median clutch size



## 3.7 More wren maps

### 3.7.1 Wrens species richness

Push the ‘CHOOSE FUNCTION’ icon and select ‘richness’. Save the map, choose a new palette if you like, and display the new map (see fig. 14). Note for species richness maps, it does not matter whether a specific variable is selected or not.




Figure 14: Wrens: species richness

### 3.7.2 Wrens mean coefficient of variation of body mass

Push the CHOOSE VARIABLE icon and select body mass. Then push the CHOOSE FUNCTION icon and type in the DEFINE FUNCTION BOX (between the curly brackets) the formula for coefficient of variation: " $\text{sd}(x)/\text{mean}(x)$ " and then click OK. Save the map and display it (see fig. 15).




Figure 15: Wrens: CV of body mass

## 4 Further examples

Below are a few examples of maps created with *rangeMapper*.

### 4.1 Amphibians of the world

The geographical range data of amphibians of the world (5816 species) is available online at [IUCN (2009)]. The *rangeMapper* project was created using a  $0.5^\circ$  canvas.

#### 4.1.1 Amphibians: species richness

The first example (fig 16) shows species richness. This map replicates Figure 1 in [Buckley (2007)] and [amphibiaweb.org] although using an unprojected coordinates system of the original files.




Figure 16: Amphibians of the world: species richness

#### 4.1.2 Amphibians: range size

In this case, species range size is used to illustrate the creation of a species trait map (e.g. [Orme (2006)] ). To do this, we first have to export the `meta-data_ranges` of the project and re-import it as a 'BIO' table. No interface is available for this procedure, nevertheless it can be easily done using R's command line:

```
dbcon = dbConnect(dbDriver("SQLite"), dbname= "\\...\\amphibians.sqlite")
d = sqliteQuickSQL(dbcon, "select bioid, Area from metadata_ranges")
bio.save(dbcon, table_name = "range_size", d, common_id = "bioid")
```

The median of range size is shown in fig 17 while the sd of the log transformed range size is shown in fig. 18. In both cases 'fisher' ([classInt]) unequal interval class was chosen.




Figure 17: Amphibians of the world: median of range size




Figure 18: Amphibians of the world: sd of the log-transformed range size

## 4.2 Terrestrial mammals of the world

The geographical range data of mammals of the world (5227 species) is available online at [IUCN (2009)]. The *rangeMapper* project was created using a 1.5° canvas.

#### 4.2.1 Mammals: richness

The first map (figure 19) shows the mammalian species richness of all species available in the dataset.




Figure 19: Mammals of the world: species richness

The map in figure 19 includes the Polar Bear (*Ursus maritimus*) as a land mammal. In order to illustrate the subsetting option of *rangeMapper* the map in figure 20 was created excluding ‘*Ursus maritimus*’ by specifying: ‘`bioid is not "Ursus_maritimus"`’ in the ‘Choose subset’ dialog.




Figure 20: Mammals of the world: species richness without the Polar Bear.

#### 4.2.2 Mammals: hotspots

The map of mammalian hotspots (i.e. the richest 2.5% canvas cells [Orme (2005)]) further illustrates the subsetting capabilities of *rangeMapper*. The map in figure 21 was created based on the previously saved ‘species richness’ map subsetting for ‘`species_richness >142`’. The map in figure 21 replicates fig. 2A in [Ceballos (2006)].

To overlay the hotspots map on the world base-map the following code can be used:

```
require(rangeMapper)
world = readOGR("../110m-admin-0-countries", "110m_admin_0_countries")
# world data freely available at: http://www.naturalearthdata.com/downloads/10m-physical-vectors/
hotSpots = rangeMap.fetch(dbcon, "hotspots_richness")
spplot(hotSpots, "species_richness", sp.layout = list(list("sp.polygons", world, fill = "grey90", col = "grey80")) )
```




Figure 21: Mammals of the world: hotspots.

## References

- [sp] Pebesma, E.J., R.S. Bivand, 2005. Classes and methods for spatial data in R. R News 5 (2), <http://cran.r-project.org/doc/Rnews/>.  
 Roger S. Bivand, Edzer J. Pebesma, Virgilio Gomez-Rubio, 2008. Applied spatial data analysis with R. Springer, NY. <http://www.asdar-book.org/>
- [maptools] P Nicholas J. Lewin-Koh, Roger Bivand, contributions by Edzer J. Pebesma, Eric Archer, Adrian Baddeley, Hans-J  rg Bibiko, St  phane Dray, David Forrest, Michael Friendly, Patrick Giraudoux, Duncan Golicher, Virgilio G  şmez Rubio, Patrick Hausmann, Thomas Jagger, Sebastian P. Luque, Don MacQueen, Andrew Niccolai, Tom Short and Ben Stabler (2009). maptools: Tools for reading and handling spatial objects. R package version 0.7-29. <http://CRAN.R-project.org/package=maptools>
- [rgdal] Timothy H. Keitt, Roger Bivand, Edzer Pebesma and Barry Rowlingson (2010). rgdal: Bindings for the Geospatial Data Abstraction Library. R package version 0.6-25. <http://CRAN.R-project.org/package=rgdal>
- [sqlite] David A. James (2010). RSQLite: SQLite interface for R. R package version 0.8-4. <http://CRAN.R-project.org/package=RSQLite>
- [Buckley (2007)] Lauren B. Buckley and Jetz, W (2007) Environmental and historical constraints on global patterns of amphibian richness, Proc. R. Soc. B , 274, 1167  1173
- [amphibiaweb.org] Worldwide Amphibian Declines: How big is the problem, what are the causes and what can be done? <http://amphibiaweb.org/declines/declines.html>
- [IUCN (2009)] IUCN 2009. IUCN Red List of Threatened Species. Version 2009.1 <http://www.iucnredlist.org>, <http://www.iucnredlist.org/technical-documents/spatial-data>
- [Ridgely (2007)] The breeding range files available in /extdata/wrens/vector/ package directory are available online at <http://www.natureserve.org/getData/dataSets/birdMapData/wrens.zip>. Data provided by NatureServe in collaboration with Robert Ridgely, James Zook, The Nature Conservancy - Migratory Bird Program, Conservation International - CABS, World Wildlife Fund - US, and Environment Canada - WILDSPACE.  
 Ridgely, R. S., T. F. Allnutt, T. Brooks, D. K. McNicol, D. W. Mehlman, B. E. Young, and J. R. Zook. 2007. Digital Distribution Maps of the Birds of the Western Hemisphere, version 3.0. NatureServe, Arlington, Virginia, USA.
- [classInt] Roger Bivand, with contributions by Hisaji Ono and Richard Dunlap (2009). classInt: Choose univariate class intervals. R package version 0.1-14. <http://CRAN.R-project.org/package=classInt>
- [Orme (2006)] Orme CDL, Davies RG, Olson VA, et al (2006) Global patterns of geographic range size in birds, PLOS BIOL, Vol:4, Pages:1276-1283, <http://www.plosbiology.org/article/info:doi/10.1371/journal.pbio.0040237>

- [Orme (2005)] Orme CDL, RG. Davies, M Burgess, et al (2005). Global hotspots of species richness are not congruent with endemism or threat, Nature Vol 436, 18 August 2005 <http://www.nature.com/nature/journal/v436/n7053/full/nature03850.html>
- [Ceballos (2006)] Ceballos, G and Ehrlich, PR (2006). Global mammal distributions, biodiversity hotspots, and conservation., PNAS, vol. 103 no. 51, 19374-19379 <http://www.pnas.org/content/103/51/19374.full>